[ANNALS N. Y. ACAD. SCI., Vol. XXI, pp. 157–175. 17 October, 1911]

A LIST OF THE TYPE SPECIES OF THE GENERA AND SUBGENERA OF FORMICIDÆ[1]

BY WILLIAM MORTON WHEELER

(Presented by title before the Academy, 16 October, 1911)

Although at the present time the taxonomy of the Formicidæ is in much less confusion than that of many other families of Hymenoptera, there is nothing to indicate that this fortunate state of affairs will survive the present generation of conservative myrmecologists. And, as it is very generally conceded that confusion in taxonomy often arises from a failure to recognize generic types, it seems advisable to publish a list of these for the Formicidæ. This is the more urgent, because Shuckard, Emery and Bingham are almost the only authors who have expressly designated type species of these insects. Being as firmly convinced as Emery and Forel that the subgenus as well as the subspecies and variety is, at least heuristically, a useful and valid category, I have recognized the subgeneric types as such in the following list and have not followed the example of those entomologists who, in similar lists, either ignore the subgeneric category or throw all or most subgeneric names into the synonymy. I have verified nearly all the bibliographic references cited below, but for a few of them from obscure and antiquated sources I have had to rely on Dalla Torre's "Catalogus Hymenopterorum." The list of genera and subgenera both living and fossil is, I believe, complete up to June, 1911.

Acamatus EMERY. Bull. Soc. Ent. Ital., XXVI, p. 184. 1894. (Subgenus of *Eciton.*)

Type: *Eciton* (*Acamatus*) *schmitti* Emery (by present designation).

Acanthognathus MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 578. 1887.

Type: *Acanthognathus ocellatus* Mayr (monobasic).

Acantholepis MAYR. Europ. Formicid., p. 42. 1861.

Type: *Hypoclinea frauenfeldi* Mayr (monobasic).

Acanthomyops MAYR. Verh. zool. bot. Ges. Wien, XII, p. 699. 1862. (Subgenus of *Lasius.*)

Type: *Formica clavigera* Roger (by present designation).

Acanthomyrmex EMERY. Bull. Soc. Ent. France, LXI, p. CCLXXVI. 1892.

Type: *Acanthomyrmex luciolæ* Emery (designated by Bingham, 1903).

---

[1]Contributions from the Entomological Laboratory of the Bussey Institution, Harvard University, No. 40.

Acanthoponera MAYR. Verh. zool. bot. Ges. Wien, XII, p. 732. 1862.
Type: *Ponera mucronata* Roger (by present designation).

Acanthostichus MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 549. 1887.
Type: *Typhlopone serratula* F. Smith (monobasic).

Acrocœlia MAYR. Verh. zool. bot. Ver Wien, II, p. 146. 1852. (= *Cremastogaster.*)
Type: *Acrocœlia ruficeps* Mayr (= *Cremastogaster scutellaris* Oliv.).

Acromyrmex MAYR. Novara Reise Formicid., p. 83. 1865. (Subgenus of *Atta.*)
Type: *Formica hystrix* Latreille (= *Formica octospinosa* Reich).

Acropyga ROGER. Berlin. Ent. Zeitschr., VI, p. 242. 1862.
Type: *Acropyga acutiventris* Roger (monobasic).

Acrostigma EMERY. Mem. Accad. Sci. Bologna, (5) I, p. 575. 1891.
Type: *Acrostigma mayri* Emery (monobasic).

Acrostigma FOREL. Rev. Suisse Zool., X, p. 477. 1902. (= *Stigmacros;* Subgenus of *Acantholepis.*)
Type: *Acantholepis* (*Acrostigma*) *froggatti* Forel (first of four species by present designation).

Adelomyrmex EMERY. Termes. Füzetek, XX, p. 590. 1987.
Type: *Adelomyrmex biroi* Emery (monobasic).

Adlerzia FOREL. Rev. Suisse Zool., X, p. 445. 1902. (Subgenus of *Monomorium.*)
Type: *Monomorium* (*Adlerzia*) *froggatti* Forel (monobasic).

Ænictogiton EMERY. Bull. Soc. Ent. Ital., XXXIII, p. 49. 1901.
Type: *Ænictogiton fossiceps* Emery (monobasic).

Ænictus SHUCKARD. Ann. Mag. Nat. Hist., V, p. 266. 1840.
Type: *Ænictus ambiguus* Shuckard (designated by Shuckard, 1840).

Aëromyrma FOREL. Grandidier's Hist. Madagascar, XX, p. 198. 1891.
Type: *Aëromyrma nosindambo* Forel (monobasic).

Agrœcomyrmex WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 265. 1910.
Type: *Myrmica duisburgi* Mayr (monobasic).

Alaopone EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XVI, p. 274. 1881. (Subgenus of *Dorylus.*)
Type: *Alaopone oberthueri* Emery = *Dorylus orientalis* Westwood (designated by Emery, 1910).[1]

Alfaria EMERY. Bull. Soc. Ent. Ital., XXVIII, p. 9. 1896.
Type: *Alfaria simulans* Emery (monobasic).

Allomerus MAYR. Verh. zool. bot. Ges. Wien, XXVII, p. 873. 1877.
Type: *Allomerus decemarticulatus* Mayr (by present designation).

Amblyopone ERICHSON. Arch. f. Naturg., VIII, p. 260. 1841.
Type: *Amblyopone australis* Erichson (monobasic).

Ancylognathus LUND. Ann. Sci. Nat., XXIII, p. 121. 1831. (= *Eciton.*)
Type: *Ancylognathus lugubris* Lund = ? *Eciton lugubre* F. Smith.

Aneleus EMERY. Termes. Füzetek, XXIII, p. 327. 1900. (Subgenus of *Pheidologeton.*)
Type: *Solenopsis similis* Mayr (monobasic).

---

[1] Ashmead, 1906, gives *A. carteri* Shuckard as the type, but this is evidently a misprint for *curtisi*, which is a synonym of *D. orientalis.*

Anergates FOREL. Denkschr. Schweiz Ges. Naturw., XXVI, pp. 29, 33, 35, 93. 1874.

Type: *Myrmica atratula* Schenck (monobasic).

Aneuretus EMERY. Ann. Soc. Ent. France, p. 241. 1893.

Type: *Aneuretus simoni* Emery (monobasic).

Anochetus MAYR. Europ. Formicid., p. 53. 1861.

Type: *Odontomachus ghilianii* Spinola (designated by Bingham, 1903).

Anomma SHUCKARD. Ann. Mag. Nat. Hist., V, p. 326. 1840. (Subgenus of *Dorylus.*)

Type: *Anomma burmeisteri* Shuckard = *Dorylus nigricans* Illiger (designated by Shuckard, 1840).

Aphænogaster MAYR. Verh. zool. bot. Ges. Wien, III, p. 107. 1853.

Type: *Aphænogaster sardoa* Mayr (designated by Bingham, 1903).

Aphomomyrmex EMERY. Ann. Soc. Ent. Belg., XLIII, p. 493. 1899.

Type: *Aphomomyrmex afer* Emery (by present designation).

Apsychomyrmex WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 261. 1910.

Type: *Apsychomyrmex myops* Wheeler (monobasic).

Apterostigma MAYR. Novara Reise Formicid., pp. 25 and 111. 1865.

Type: *Apterostigma pilosum* Mayr (monobasic).

Arotropus PROVANCHER. Natural. Canad., XII, p. 205. 1881. (= *Stigmatomma.*)

Type: *Arotropus binodosus* Provancher = *Stigmatomma pallipes* Haldeman (monobasic).

Asemorhoptrum MAYR. Europ. Formicid., p. 71. 1861. (= *Stenamma.*)

Type: *Asemorhoptrum lippulum* Mayr = *Stenamma westwoodi* Westwood (monobasic).

Atopogyne FOREL. Bull. Soc. Vaud. Sci. Nat. (5) XLVII, p. 342. 1911. (Subgenus of *Cremastogaster.*)

Type: *Cremastogaster* (*Atopogyne*) *hellenica* Forel (By present designation).

Atopomyrmex ERN. ANDRÉ. Rev. d'Entom., VIII, p. 226. 1889.

Type: *Atopomyrmex mocquerysi* Ern. André (monobasic).

Atta FABRICIUS. System. Piez., p. 421. 1804.

Type: *Formica cephalotes* Linn (first species by present designation).

Attopsis HEER. Denksch. Schweiz. Ges. Naturw., X, p. 155. 1850.

Type: *Attopsis longipennis* Heer (first species by present designation).

Azteca FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XV, p. 384. 1878.

Type: *Tapinoma instabilis* F. Smith = *Liometopum ? xanthochroum* Roger (designated).

Basiceros SCHULZ, *nom. nov.* for **Ceratobasis** F. SMITH *nom. præocc.* Spolia. Hymenopt., p. 156. 1906.

Type: *Meranoplus singularis* F. Smith (monobasic).

Belonopelta MAYR. Sitzbr. Akad. Wiss. Wien, LXI, p. 394. 1870.

Type: *Belonopelta attenuata* Mayr (monobasic).

Bondroitia FOREL. Bull. Soc. Vand. Sci. Nat. (5) XLVII, p. 398. 1911. (Subgenus of *Diplomorium.*)

Type: *Diplomorium* (*Bondroitia*) *lujæ* Forel. (First of two species, by present designation.)

Bothriomyrmex EMERY. Ann. Mus. Zool. Univ. Napoli, V, p. 117. 1865 (1869).
Type: *Bothriomyrmex costæ* Emery = *Tapinoma meridionale* Roger (monobasic).

Bothroponera MAYR. Verh. zool. bot. Ges. Wien, XII, p. 717. 1862. (Subgenus of *Pachycondyla*).
Type: *Ponera pumicosa* Roger (designated by Emery, 1901).

Brachymyrmex MAYR. Ann. Soc., Nat. Modena, III, p. 163. 1868.
Type: *Brachymyrmex patagonicus* Mayr (monobasic).

Brachyponera EMERY. Ann. Soc. Ent. Belg., XLV, p. 43. 1901. (Subgenus of *Euponera.*)
Type: *Ponera sennaarensis* Mayr (designated by Emery, 1901).

Bradoponera MAYR. Beitr. Naturk. Preuss., I, p. 73. 1868.
Type: *Bradoponera meieri* Mayr (monobasic).

Calomyrmex EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 772. 1895.
Type: *Formica lævissima* F. Smith (by present designation).

Calyptites SCUDDER. Rep. Progr. Geol. Surv. Canada for 1877, p. 270.
Type: *Calyptites antediluviana* Scudder (monobasic).

Calyptomyrmex EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXV, p. 472. 1887.
Type: *Calyptomyrmex beccarii* Emery (monobasic).

Campomyrma WHEELER. Science, n. s., XXXIII, p. 860. 1911. (Subgenus of *Myrma.*)
Type: *Polyrhachis clypeata* Mayr (designated by Wheeler, 1911).

Camponotus MAYR. Europ. Formicid., p. 35. 1861.
Type: *Formica ligniperda* Latreille (designated by Bingham, 1903).

Camptognatha WESTWOOD. Griffith. Anim. Kingd., XV, 5, p. 16. 1832. (= *Eciton.*)
Type: *Formica hamata* Fabricius (monobasic).

Cardiocondyla EMERY. Ann. Acc. Asp. Nat. Naples, Era 2, II, p. 20. 1869.
Type: *Cardiocondyla elegans* Emery (monobasic).

Carebara WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 86. 1841.
Type: *Carebara lignata* Westwood (monobasic).

Carebarella EMERY. Bull. Soc. Ent. Ital., XXXVII, p. 137. 1905.
Type: *Carebarella bicolor* Emery (monobasic).

Cataglyphis FÖRSTER. Verh. Naturh. Ver. Preuss. Rheinl., VII, p. 493. 1850. (Subgenus of *Myrmecocystus.*)
Type: *Formica megalocola* Förster (worker); *Cataglyphis fairmairi* Förster (male) (monobasic).

Cataulacus F. SMITH. Trans. Ent. Soc. London, (2) II, p. 225. 1853.
Type: *Cataulacus taprobanæ* F. Smith (designated by Bingham, 1903).

Centromyrmex MAYR. Verh. zool. bot. Ges. Wien, XVI, p. 894. 1866.
Type: *Centromyrmex bohemanni* Mayr (monobasic).

Cephalotes LATREILLE. Hist. Nat. Crust. et Insect., III, p. 357. 1802. (= *Atta.*)
Type: *Formica cephalotes* Linné.

Cephaloxys F. SMITH. Journ. Proc. Linn. Soc. Zool., VIII, p. 76. 1864. (= *Strumigenys.*)
Type: *Cephaloxys capitata* F. Smith (monobasic).

Cerapachys F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 74. 1857.
Type: *Cerapachys antennatus* F. Smith (monobasic).

Ceratobasis F. SMITH. Journ. of Entom., I, p. 78. 1861. (= *Basiceros.*)
Type: *Meranoplus singularis* F. Smith (monobasic).

Ceratopheidole PERGANDE. Proc. Calif. Acad. Sci., (2) V, p. 889. 1895. (Subgenus of *Pheidole.*)
Type: *Pheidole* (*Ceratopheidole*) *granulata* Pergande (monobasic).

Champsomyrmex EMERY. Ann. Soc. Ent. France, LX, p. 558, *nota.* 1891.
Type: *Odontomachus coquereli* Roger (monobasic).

Cheliomyrmex MAYR. Verh. zool. bot. Ges. Wien, XX, p. 968. 1870.
Type: *Cheliomyrmex nortoni* Mayr (monobasic).

Colobopsis MAYR. Europ. Formicid, p. 38. 1861. (Subgenus of *Camponotus.*)
Type: *Formica truncata* Spinola.

Condylodon LUND. Ann. Sci. Nat., XXIII, p. 131. 1831. (= *Pseudomyrma.*)
Type: *Condylodon audouini* Lund.

Cosmacetes SPINOLA. Mem. Accad. Torino, (2) XIII, p. 70. 1851. (= *Typhlopone.*)
Type: *Cosmacetes omalinus* Spinola = *Typhlopone fulva* Westwood.

Cratomyrmex EMERY. Ann. Soc. Ent. France, p. 572. 1892.
Type: *Cratomyrmex regalis* Emery (monobasic).

Cremastogaster LUND. Ann. Sci. Nat., XXIII, p. 132. 1831.
Type: *Formica scutellaris* Olivier (designated by Bingham, 1903).

Cryptocerus LATREILLE. Hist. Nat. Ins., XIII, p. 260. 1805.
Type: *Formica atrata* Linné (monobasic).

Cryptopone EMERY. Bull. Soc. Ent. France, LXI, p. CCLXXV. 1892.
Type: *Amblyopone ? testacea* Motschulsky (monobasic).

Ctenopyga ASHMEAD. Canad. Ent., XXXVII, p. 382. 1905.
Type: *Ctenopyga townsendi* Ashmead (designated by Ashmead, 1905).

Cylindromyrmex MAYR. Verh. zool. bot. Ges. Wien, XX, p. 967. 1870.
Type: *Cylindromyrmex striatus* Mayr (monobasic).

Cyphomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 690. 1862.
Type: *Cryptocerus ? rimosus* Spinola (by present designation).

Cysias EMERY. Rend. Accad. Sci. Bologna, n. s., VI, p. 24. 1902. (Subgenus of *Cerapachys.*)
Type: *Cerapachys papuanus* Emery (designated by Emery, 1902).

Daceton PERTY. Delect. Animal Artic. Brasil, p. 136. 1833.
Type: *Formica armigera* Latreille (monobasic).

Dacryon FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 421. 1895.
Type: *Dacryon omniparens* Forel (monobasic).

Decacrema FOREL. Ann. Soc. Ent. Belg., LIV, p. 18. 1910. (Subgenus of *Cremastogaster.*)
Type: *Cremastogaster schencki* Forel (by present designation).

Decamera ROGER. Berlin. Ent. Zeitschr., VII, p. 166. 1863. (= *Myrmelachista.*)
Type: *Decamera nigella* Roger (monobasic).

Dendromyrmex EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 772. 1895.
Type: *Camponotus chartifex* F. Smith (by present designation).

Diacamma MAYR. Verh. zool. bot. Ges. Wien, XII, p. 718. 1862.
Type: *Ponera rugosa* Le Guillon (designated by Bingham, 1903).

Dichothorax EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 323. 1894. (Subgenus of *Leptothorax.*)
Type: *Leptothorax* (*Dichothorax*) *pergandei* Emery (first of two species by present designation).

Dichthadia GERSTÄCKER. Stettin. Ent. Zeitg., XXIV, p. 693. 1863. (Subgenus of *Dorylus.*)

Type: *Dichthadia glaberrima* Gerstäcker = *Dorylus lævigatus* F. Smith (monobasic).[2]

Dicroaspis EMERY. Ann. Soc. Ent. Belg., LII, p. 184. 1908.

Type: *Dicroaspis cryptocera* Emery (monobasic).

Dilobocondyla SANTSCHI. Le Naturaliste, XXXII, p. 283. 1910.

Type: *Atopomyrmex selebensis* Emery (by present designation).

Dimorphomyrmex ERN. ANDRÉ. Mem. Soc. Zool. France, V, p. 49. 1892.

Type: *Dimorphomyrmex janeti* Ern. André (monobasic).

Dinomyrmex ASHMEAD. Canad. Entom., XXXVII, p. 384. 1905. (= *Camponotus.*)

Type: *Formica gigas* Latreille (designated by Ashmead, 1905).

Dinoponera ROGER. Berlin. Ent. Zeitschr., V, p. 37. 1861.

Type: *Ponera grandis* Guérin (monobasic).

Diplomorium MAYR. Ann. K. K. Naturhist. Hofmus, XVI, p. 16. 1907.

Type: *Diplomorium longipenne* Mayr (monobasic).

Diplorhoptrum MAYR. Verh. zool. bot. Ver. Wien, V, p. 449. 1855. (= *Solenopsis.*)

Type: *Formica fugax* Latreille (monobasic).

Discothyrea ROGER. Berlin. Ent. Zeitschr., VII, p. 176. 1863.

Type: *Discothyrea testacea* Roger (monobasic).

Doleromyrma FOREL. Ann. Mus. Nat. Hungar., V, p. 28. 1907. (Subgenus of *Tapinoma.*)

Type: *Tapinoma* (*Doleromyrma*) *darwiniana* Forel (monobasic).

Dolichoderus LUND. Ann. Sci. Nat., XXIII, p. 130. 1831.

Type: *Dolichoderus attelaboides* Lund (monobasic).

Dorylus FABRICIUS. Ent. Syst., II, pp. 194 and 365. 1793.

Type: *Vespa helvola* Linné (designated by Shuckard, 1840).

Dorymyrmex MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 494. 1866.

Type: *Formica flavescens* Fabricius (monobasic).

Drepanognathus F. SMITH. Catal. Hymen. Brit. Mus., VI, p. 81. 1858.

Type: *Harpegnathus saltator* Jerdon (designated by Bingham, 1903).

Echinopla F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 79. 1857.

Type: *Echinopla melanarctos* F. Smith (first species by present designation).

Eciton LATREILLE. Hist. Nat. Crust. et Ins., IV, p. 130. 1802.

Type: *Formica hamata* Fabricius (designated by Emery, 1910).

Ecphorella FOREL. Ann. Soc. Ent. Belg., LIII, p. 65. 1909. (Subgenus of *Tapinoma.*)

Type: *Ecphorella wellmani* Forel (monobasic).

Ectatomma F. SMITH. Cat. Hymen. Brit. Mus., VI, p. 102. 1858.

Type: *Formica tuberculata* Oliver (designated by Bingham, 1903).

Ectomomyrmex MAYR. Tijdscr. v. Ent., X, p. 83. 1867. (Subgenus of *Pachycondyla.*)

Type: *Ectomomyrmex javanus* Mayr (designated by Bingham, 1903).

---

[2] Not *D. furcata*, as stated by Ashmead, 1906.

Electromyrmex WHEELER. Ants, their Struct., Develop. and Behav., p. 164. 1910.
Type: *Electromyrmex klebsi* Wheeler (monobasic).

Emeryella FOREL. Ann. Soc. Ent. Belg., XLV, p. 334. 1901.
Type: *Emeryella schmitti* Forel (monobasic).

Emeryia FOREL. C. R. Soc. Ent. Belg., p. CX. 1890. (= *Cardiocondyla.*)
Type: *Emeryia wroughtoni* Forel (monobasic).

Engramma FOREL. Ann. Soc. Ent. Belg., XLIX, p. 180. 1905.
Type: *Engramma lujæ* Forel (monobasic).

Enneamerus MAYR. Beitr. Naturk. Preuss., I, p. 98. 1868.
Type: *Enneamerus reticulatus* Mayr (monobasic).

Ephebomyrmex WHEELER. Psyche, IX, p. 390. 1902. (Subgenus of *Pogonomyrmex.*)
Type: *Pogonomyrmex nœgelii* Forel (by present designation).

Epœcus EMERY. Ann. Soc. Ent. France, V, C. R., p. XXLXXVI. 1892; Zool. Jahrb. Abth. f. Syst., VIII, p. 272. 1894.
Type: *Epœcus pergandei* Emery (monobasic).

Epipheidole WHEELER. Bull. Amer. Mus. Nat. Hist., XX, p. 14. 1904.
Type: *Epipheidole inquilina* Wheeler (monobasic).

Epitritus EMERY. Bull. Soc. Ent. Ital., I, p. 136. 1869.
Type: *Epitritus argiolus* Emery (monobasic).

Epixenus EMERY. Deutsch. Ent. Zeitschr., p. 556. 1908.
Type: *Epixenus andrei* Emery = "abnormal female" of *Monomorium venustum* Ern. André (first of two species by present designation).

Epopostruma FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 422. 1895. (Subgenus of *Strumigenys.*)
Type: *Strumigenys* (*Epopostruma*) *quadrispinosa* Forel (first of two species by present designation).

Erebomyrma WHEELER. Biol. Bull., IV, p. 138. 1903.
Type: *Erebomyrma longi* Wheeler (monobasic).

Escherichia FOREL. Zool. Jahrb. Abth. f. Syst., XXIX, p. 245. 1910.
Type: *Escherichia brevirostris* Forel (monobasic).

Eumecopone FOREL. Ann. Soc. Ent. Belg., XLV, p. 335. 1901. (Subgenus of *Neoponera.*)
Type: *Neoponera* (*Eumecopone*) *agilis* Forel (monobasic).

Euponera FOREL. Grandidier's Hist. Madagascar, XX, p. 126. 1891.
Type: *Ponera sikoræ* Forel (monobasic).

Euprenolepis EMERY. Ann. Soc. Ent. Belg., L, p. 134. 1906. (Subgenus of *Prenolepis.*)
Type: *Prenolepis procera* Emery (designated by Emery, 1906).

Eusphinctus EMERY. Ann. Soc. Ent. France, p. CCLXXV. 1892. (Subgenus of *Sphinctomyrmex.*)
Type: *Eusphinctus furcatus* Emery (monobasic).

Eutetramorium EMERY. Bull. Soc. Ent. Ital., XXXI, p. 281. 1899.
Type: *Eutetramorium mocquerysi* Emery (first of two species by present designation).

Forelius EMERY. Zeitschr. f. wiss. Zool., XLVI, p. 389. 1888.
Type: *Iridomyrmex maccooki* Forel (monobasic).

Formica LINNÉ. System. Nat., Ed. 10, p. 579. 1758.
Type: *Formica rufa* Linné (designated by Bingham, 1903).

Formicina SHUCKARD. Swainson & Shuckard's Hist. Nat. Arrang. of Insects, p. 172. 1840. (= *Formica.*)
Type: *Formica rufa* Linné (by present designation).

Formicoxenus MAYR. Verh. zool. bot. Ver. Wien, V, p. 413. 1855.
Type: *Myrmica nitidula* Nylander (monobasic).

Froggattella FOREL. Rev. Suisse Zool., X, p. 459. 1902.
Type: *Acantholepis kirbyi* Lowne = *Hypoclinea kirbyi* Mayr (monobasic).

Gesomyrmex MAYR. Beitr. Naturk. Preuss., I, p. 50. 1868.
Type: *Gesomyrmex hœrnesi* Mayr (monobasic).

Gigantiops ROGER. Berlin. Ent. Zeitschr., VI, p. 287. 1862.
Type: *Formica destructor* Fabricius (monobasic).

Glyptomyrmex FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 365. 1884. (= *Myrmicocrypta.*)
Type: *Glyptomyrmex dilaceratus* Forel (monobasic).

Gnamptogenys ROGER. Berlin. Ent. Zeitschr., VII, p. 174. 1863. (Subgenus of *Ectatomma.*)
Type: *Ectatomma cincinnum* Mayr (by present designation).

Gontomma EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 298. 1895.
Type: *Aphænogaster blanci* Ern. André (monobasic).

Goniothorax EMERY. Bull. Soc. Ent. Ital., XXVIII, p. 26. 1896. (Subgenus of *Leptothorax.*)
Type: *Leptothorax vicinus* Mayr (by present designation).

Hagensia FOREL. Rev. Suisse Zool., IX, p. 333. 1901. (Subgenus of *Megaponera.*)
Type: *Megaponera (Hagensia) havilandi* Forel (monobasic).

Hagiomyrma WHEELER. Science n. s., XXXIII, p. 860. 1911. (Subgenus of *Myrma.*)
Type: *Formica ammon* Fabricius (designated by Wheeler, 1911).

Hagioxenus FOREL. Ann. Soc. Ent. Belg., LIV, p. 8. 1910.
Type: *Hagioxenus schmitzi* Forel (monobasic).

Harpagoxenus FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 167. 1893. *Nom. nov.* for **Tomognathus** MAYR. *nom. præocc.* 1861.
Type: *Tomognathus sublævis* Nylander (monobasic).

Harpegnathus JERDON. Madras Journ. Litt. and Sci., XVII, p. 116. 1851. (= *Drepanognathus.*)
Type: *Drepanognathus cruentatus* Smith = *Harpegnathus saltator* Jerdon (by present designation).

Hemioptica ROGER. Berlin. Ent. Zeitschr., VI, p. 238. 1862. (Subgenus of *Myrma.*)
Type: *Hemioptica scissa* Roger (monobasic).

Heptacondylus F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 141. 1858. (= *Myrmicaria.*)
Type: *Heptacondylus subcarinatus* F. Smith = *Myrmica fodiens* Jerdon (first of three species by present designation).

Heteroponera MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 532. 1887. (= *Acanthoponera.*)
Type: *Heteroponera carinifrons* Mayr (monobasic).

Holcomyrmex MAYR. Verh. zool. bot. Ges. Wien, XXVIII, p. 671. 1878. (Subgenus of *Monomorium.*)
Type: *Holcomyrmex scabriceps* Mayr (designated by Bingham, 1903).

Holcoponera MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 540. 1887. (Subgenus of *Ectatomma.*)
Type: *Ectatomma* (*Holcoponera*) *striatulum* Mayr (by present designation).

Hoplomyrmus GERSTÄCKER. Monatschr. Akad. Wiss. Berlin, p. 261. 1858. (= *Myrma.*)
Type: *Hoplomyrmus schistaceus* Gerstäcker (monobasic).

Huberia FOREL. C. R. Soc. Ent. Belg., p. CV. 1890.
Type: *Tetramorium striatum* F. Smith (monobasic).

Hypochira BUCKLEY. Proc. Ent. Soc. Phila., VI, p. 169. 1866. (= *Formica.*)
Type: *Formica* (*Hypochira*) *subspinosa* Buckley (monobasic).

Hypoclinea (FÖRSTER) MAYR. Verh. zool. bot. Ver. Wien, V, p. 377. 1855. (Subgenus of *Dolichoderus.*)
Type: *Formica quadripunctata* Linné (second species by present designation).

Hypopomyrmex EMERY. Mem. Accad. Sci. Bologna, (5) I, p. 574. 1891.
Type: *Hypopomyrmex bombiccii* Emery (monobasic).

Imhoffia HEER. Verh. Schweiz. Naturf. Ges., p. 78. 1849.
Type: *Imhoffia nigra* Heer (monobasic).

Iridomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 702. 1862.
Type: *Formica detecta* F. Smith (designated by Bingham, 1903).

Ischnomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 738. 1862. (Subgenus of *Aphænogaster.*)
Type: *Myrmica longipes* F. Smith (monobasic).

Janetia FOREL. Biol. Centr. Amer. Hymen., III, p. 61, *nota.* 1899. (Subgenus of *Pogonomyrmex.*)
Type: *Pogonomyrmex* (*Janetia*) *mayri* Forel (monobasic).

Labidogenys ROGER. Berlin. Ent. Zeitschr., VI, p. 249. 1862. (= *Strumigenys.*)
Type: *Labidogenys lyrocssa* Roger (monobasic).

Labidus JURINE. Nouv. Meth. Class Hymén., p. 282. 1807. (Subgenus of *Eciton.*)
Type: *Labidus latreillei* Jurine = male *Eciton cæcum* (Latreille) = *Formica cæca* Latreille (designated by Shuckard, 1840).

Lachnomyrmex WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 263. 1910.
Type: *Lachnomyrmex scrobiculatus* Wheeler (monobasic).

Lampromyrmex MAYR. Beitr. Naturk. Preuss., I, p. 93. 1868.
Type: *Lampromyrmex gracillimus* Mayr (monobasic).

Laparomyrmex EMERY. Ann. Mus. Civ. Stor. Nat. Genova (2), V, p. 37. 1887. (= *Liomyrmex.*)
Type: *Laparomyrmex gestroi* Emery (monobasic).

Lasiophanes EMERY. Act. Soc. Sci. Chili, V, p. 16. 1895. (Subgenus of *Melophorus.*)
Type: *Formica nigriventris* Spinola (by present designation).

Lasius FABRICIUS. System. Piezat., p. 415. 1804.
Type: *Formica nigra* Linné (designated by Bingham, 1903).

Leptalea (KLUG) ERICHSON. Arch. f. Naturg., V, p. 309. 1839. (= *Pseudomyrma.*)
Type: *Formica gracilis* Fabricius (monobasic).

Leptanilla EMERY. Bull. Soc. Ent. Ital., II, p. 196. 1870.
Type: *Leptanilla revelieri* Emery (monobasic).

Leptogenys ROGER. Berlin. Ent. Zeitschr., V, p. 41. 1861.
Type: *Leptogenys falcigera* Roger (designated by Bingham, 1903).

Leptomyrma MOTSCHULSKY. Bull. Soc. Nat. Mosc., XXXVI, p. 17. 1863. (= *Pheidole.*)
Type: *Leptomyrma gracilipes* Motschulsky (monobasic).

Leptomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 695. 1862.
Type: *Formica erythrocephala* Fabricius (monobasic).

Leptothorax MAYR. Verh. zool. bot. Ges. Wien, V, p. 431. 1855.
Type: *Formica acervorum* Fabricius (by present designation).

Linepithema MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 496. 1866.
Type: *Linepithema fuscum* Mayr (monobasic).

Liometopum MAYR.. Europ. Formicid., p. 38. 1861.
Type: *Formica microcephala* Panzer (monobasic).

Liomyrmex MAYR. Novara Reise Formicid., p. 23. 1865.
Type: *Myrmica cæca* F. Smith (monobasic).

Lioponera MAYR. Verh. zool. bot. Ges. Wien, XXVIII, p. 666. 1878.
Type: *Lioponera longitarsus* Mayr (monobasic).

Lobopelta MAYR. Verh. zool. bot. Ges. Wien, XII, p. 733. 1862. (Subgenus of *Leptogenys.*)
Type: *Ponera diminuta* F. Smith (designated by Bingham, 1903).

Lonchomyrmex MAYR. Jahrb. Geol. Reichsanst. Wien, XVII, p. 61. 1867.
Type: *Formica freyeri* Heer (monobasic).

Lophomyrmex EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXII, p. 114. 1892.
Type: *Œcodoma quadrispinosa* Jerdon (monobasic).

Lordomyrma EMERY. Termes. Füzetek, XX, p. 591. 1897.
Type: *Lordomyrma furcifera* Emery (first of two species by present designation).

Machomyrma FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 425. 1895. (Subgenus of *Liomyrmex.*)
Type: *Liomyrmex* (*Machomyrma*) *dispar* Forel (monobasic).

Macromischa ROGER. Berlin. Ent. Zeitschr., VII, p. 184. 1863.
Type: *Macromischa purpurata* Roger (first species by present designation).

Manica JURINE. Nouv. Méth. Class. Hymén., p. 276. 1807. (= *Myrmica.*)
Type: *Formica rubida* Latreille (by present designation).

Martia FOREL. Ann. Mus. Nat. Hungarici, V, p. 20. 1907. (Subgenus of *Monomorium.*)
Type: *Monomorium* (*Martia*) *vezenyii* Forel (monobasic).

Mayria FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XV, p. 369. 1878.
Type: *Mayria madagascariensis* Forel (monobasic).

Mayriella FOREL. Rev. Suisse Zool., X, p. 452. 1902.
Type: *Mayriella abstinens* Forel (monobasic).

Mayromyrmex ASHMEAD. Canad. Ent., XXXVII, p. 381. 1905. (= *Eciton.*)
Type: *Labidus fargeani* Shuckard = male *Eciton quadriglume* Halliday (designated by Ashmead, 1905).

Megalomyrmex FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 56. 1884.
Type: *Formica bituberculata* Fabricius (by present designation).

Megaloponera EMERY. Ann. Mus. Civ. Stor. Nat. Genova, IX, p. 368. 1877. (= *Megaponera.*)
Type: *Formica fœtens* Fabricius (monobasic).

Megaponera MAYR. Verh. zool. bot. Ges. Wien, XII, p. 734. 1862.
Type: *Formica fœtens* Fabricius (monobasic).

Melissotarsus EMERY. Ann. Mus. Civ. Stor. Nat. Genova, IX, p. 378. 1877.
Type: *Melissotarsus beccarii* Emery (monobasic).

Melophorus LUBBOCK. Journ. Linn. Soc. Zool., XVIII, p. 51. 1883.
Type: *Melophorus bagoti* Lubbock (monobasic).

Meranoplus F. SMITH. Trans. Ent. Soc. London, (2) II, p. 224. 1854.
Type: *Cryptocerus bicolor* Guérin (designated by Bingham, 1903).

Mesoponera EMERY. Ann. Soc. Ent. Belg., XLV, p. 43. 1901. (Subgenus of *Euponera.*)
Type: *Ponera caffraria* F. Smith (designated by Emery, 1901).

Mesoxena F. SMITH. Journ. Proc. Linn. Soc. Zool., IV, Suppl., p. 106. 1860.
Type: *Mesoxena mistura* F. Smith (monobasic).

Messor FOREL. Ann. Soc. Ent. Belg., XXXIV, C. R., p. LXVIII. 1890.
Type: *Formica barbara* Linné (designated by Bingham, 1903).

Micromyrma DUFOUR. Ann. Soc. Ent. France, (2) V, p. 60. 1857. (= *Tapinoma.*)
Type: *Formica erratica* Latreille (monobasic).

Mictoponera FOREL. Ann. Soc. Ent. Belg., XLV, p. 372. 1901. (Subgenus of *Ectatomma.*)
Type: *Ectatomma* (*Mictoponera*) *dichli* Forel (monobasic).

Mœllerius FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 589. 1893. (Subgenus of *Atta.*)
Type: *Acromyrmex landolti* Forel (by present designation).

Monacis ROGER. Berlin. Ent. Zeitschr., VI, p. 233. 1862. (Subgenus of *Dolichoderus.*)
Type: *Formica bispinosa* Oliv. = *Formica fungosa* Fabr. (by present designation).

Monocombus MAYR. Verh. zool. bot. Ver. Wien, V, p. 381. 1855. (= *Cataglyphis.*)
Type: *Formica viatica* Fabricius (monobasic).

Monomorium MAYR. Verh. zool. bot. Ver. Wien, V, p. 452. 1855.
Type: *Monomorium minutum* Mayr (monobasic).

Mycetosoritis WHEELER. Bull. Amer. Mus. Nat. Hist., XXIII, p. 714. 1907. (Subgenus of *Atta.*)
Type: *Atta* (*Mycetosoritis*) *hartmani* Wheeler (monobasic).

Mychothorax RUZSKY. Formica Imp. Rossici, p. 107. 1905. (= *Leptothorax.*)
Type: *Formica acervorum* Fabricius (first species by present designation).

Mycocepurus FOREL. Trans. Ent. Soc. London, IV, p. 369. 1893.
Type: *Mycocepurus smithi* Forel (by present designation).

Myopias ROGER. Berlin. Ent. Zeitschr., V, p. 39. 1861.
Type: *Myopias amblyops* Roger (monobasic).

Myopopone ROGER. Berlin. Ent. Zeitschr., V, p. 49. 1861.
Type: *Amblyopone castanea* F. Smith var. *maculata* Roger (monobasic).

Myrma BILBERG. Enumer. Insect., p. 104. 1820.
Type: *Formica militaris* Fabricius (by present designation).

Myrmecia FABRICIUS. System. Piezat., p. 423. 1804.
Type: *Formica gulosa* Fabricius (by present designation).

Myrmecina CURTIS. Brit. Entom., IV, p. 226. 1829.
Type: *Myrmecina latreillei* Curtis (monobasic).

Myrmecocystus WESMAEL. Bull. Acad. Sci. Brux., V, p. 770. 1838.
Type: *Myrmecocystus mexicanus* Wesmael (monobasic).

Myrmecopsis F. SMITH. Journ. Proc. Linn. Soc., VIII, p. 68. 1864.
Type: *Myrmecopsis respiciens* F. Smith (monobasic).

Myrmecorhynchus ERN. ANDRÉ. Rev. d'Entom, XV, p. 253. 1896.
Type: *Myrmecorhynchus emeryi* Ern. André (monobasic).

Myrmelachista ROGER. Berlin. Ent. Zeitschr., VII, p. 162. 1863.
Type: *Myrmelachista kraatzi* Roger (monobasic).

Myrmex GUÉRIN. Iconogr. Regn. Anim., VII, Insect., p. 428. 1845. (= *Pseudomyrma.*)
Type: *Pseudomyrma* (*Myrmex*) *perboscii* Guérin.

Myrmica LATREILLE. Hist. Nat. Crust. et Insect., IV, p. 131. 1802.
Type: *Formica rubra* Linn (by present designation).

Myrmicaria SAUNDERS. Trans. Ent. Soc. London, III, p. 57. 1841.
Type: *Myrmicaria brunnea* Sanders (monobasic).

Myrmicocrypta F. SMITH. Journ. of Ent., I, p. 73. 1860.
Type: *Myrmicocrypta squamosa* F. Smith (monobasic).

Myrmoteras FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 607. 1893.
Type: *Myrmoteras binghami* Forel (monobasic).

Myrmoxenus RUZSKY. Zool. Jahrb. Abth. f. Syst., XVII, p. 474. 1902.
Type: *Myrmoxenus gordiagini* Ruzsky (monobasic).

Myrmus SCHENCK. Stettin. Ent. Zeitg., XIV, p. 299. 1853. (= *Strongylognathus.*)
Type: *Myrmus emarginatus* Schenck = *Eciton ? testaceum* Schenck (monobasic).

Mystrium ROGER. Berlin. Ent. Zeitschr., VI, p. 245. 1862.
Type: *Mystrium mysticum* Roger (monobasic).

Neoponera EMERY. Ann. Soc. Ent. Belg., XLV, p. 40. 1901.
Type: *Formica villosa* Fabricius (designated by Emery, 1901).

Nesomyrmex WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 259. 1910.
Type: *Nesomyrmex clavipilis* Wheeler (monobasic).

Notoncus EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 352. 1895.
Type: *Camponotus ectatommoides* Forel (monobasic).

Nycteresia ROGER. Berlin. Ent. Zeitschr., V, p. 21. 1861. (= *Ecitton.*)
Type: *Nycteresia cæca* Roger = *Formica cæca* Latreille (monobasic).

Nylanderia EMERY. Ann. Soc. Ent. Belg., L, p. 134. 1906. (Subgenus of *Prenolepis.*)
Type: *Prenolepis vividula* Nylander (designated by Emery, 1906).

Ochetomyrmex MAYR. Verh. zool. bot. Ges. Wien, XXVII, p. 871. 1877.
Type: *Ochetomyrmex semipolitus* Mayr (monobasic).

Ocymyrmex EMERY. Bull. Soc. Ent. Ital., XVIII, p. 364. 1886.
Type: *Ocymyrmex barbiger* Emery (monobasic).

Odontomachus LATREILLE. Hist. Nat. Crust. et Insect., IV, p. 128. 1802.
Type: *Formica hæmatoda* Linné (monobasic).

Odontomyrmex ERN. ANDRÉ. Rev. d'Entom., XXIII, p. 207. 1904.
Type: *Odontomyrmex quadridentatus* Ern. André (monobasic).

Odontoponera MAYR. Verh. zool. bot. Ges. Wien, XII, p. 717. 1862.
Type: *Ponera denticulata* F. Smith = *Ponera transversa* F. Smith (monobasic).

Œcodoma LATREILLE. Nouv. Dict. Hist. Nat., XXIII, p. 50. 1818. (= *Atta.*)
Type: *Formica cephalotes* Linné (by present designation).

Œcophthora HEER. Hausameise Madeiras, p. 15. 1852. (= *Pheidole.*)
Type: *Œcophthora pusilla* Heer = *Formica megacephala* Fabricius (monobasic).

Œcophylla F. SMITH. Journ.-Linn. Soc. Zool., V, p. 101. 1861.
Type: *Formica virescens* Fabricius (designated by Bingham, 1903).

Oligomyrmex MAYR. Tydscr. v. Ent., X, p. 110.
Type: *Oligomyrmex concinnus* Mayr (monobasic).

Onychomyrmex EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 349. 1895.
Type: *Onychomyrmex hedleyi* Emery (monobasic).

Oöceræa ROGER. Berlin. Ent. Zeitschr., VI, p. 248. 1862. (Subgenus of *Cerapachys.*)
Type: *Oöceræa fragosa* Roger (monobasic).

Ophthalmopone FOREL. C. R. Soc. Ent. Belg., p. CXII. 1890.
Type: *Ophthalmopone berthoudi* Forel (monobasic).

Opisthopsis EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 353. 1895. *Nom. nov.* for *Myrmecopsis nom. præocc.*
Type: *Myrmecopsis respiciens* F. Smith (monobasic).

Orectognathus F. SMITH. Trans. Ent. Soc. Lond., (2) II, p. 227. 1854.
Type: *Orectognathus antennatus* F. Smith (monobasic).

Orthonotomyrmex ASHMEAD. Proc. Ent. Soc. Wash., VIII, p. 31. 1906. *Nov. nom.* for **Orthonotus** *nom. præocc.* (=*Camponotus.*)
Type: *Formica sericea* Fabricius (designated by Ashmead, 1905).

Orthonotus ASHMEAD. Canad. Ent., XXXVII, p. 384. 1905. *Nom. præocc.* (= *Orthonotomyrmex* = *Camponotus.*)
Type: *Formica sericea* Fabricius (designated by Ashmead, 1905).

Otomyrmex FOREL. Grandidier's Hist. Madagascar, XX, p. 147. 1891. (Subgenus of *Cataulacus.*)
Type: *Cataulacus oberthueri* Emery (monobasic).

Oxygyne FOREL. Ann. Soc. Ent. Belg., XLV, p. 376. 1901. (Subgenus of *Cremastogaster.*)
Type: *Cremastogaster* (*Oxygyne*) *daisyi* Forel (by present designation).

Oxyopomyrmex ERN. ANDRÉ. Ann. Soc. Ent. France, V, p. 72. 1880.
Type: *Oxyopomyrmex oculatus* Ern. André (monobasic).

Pachycondyla F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 105. 1858.
Type: *Formica crassinoda* Latreille (designated by Emery, 1901).

Pædalgus FOREL. Escherich's Termitenleben auf Ceylon, p. 217. 1911.
Type: *Pædalgus escherichi* Forel (monobasic).

Paltothyreus MAYR. Verh. zool. bot. Ges. Wien, XII, p. 735. 1862.
Type: *Formica tarsata* Fabricius (monobasic).

Paraponera F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 100. 1858.
Type: *Formica clavata* Fabricius (monobasic).

Parasyscia EMERY. In Ern. André, Spec. Hymén. Europ., II, p. 235. 1882. (Subgenus of *Cerapachys.*)
Type: *Parasyscia piochardi* Emery (monobasic).

Paratrechina MOTSCHULSKY. Bull. Soc. Nat. Moscou, XXXVI, p. 13. 1863. (= *Prenolepis.*)
Type: *Paratrechina currens* Motschulsky = *Formica longicornis* Latreille (monobasic).

Pedetes BERNSTEIN. Verh. zool. bot. Ges. Wien, XI, Sitzb., p. 7. 1861. (= *Odontomachus.*)
Type: *Pedetes macrorhynchus* Bernstein (*nomen nudum*).

Phacota ROGER. Berlin. Ent. Zeitschr., VI, p. 260. 1862.
Type: *Phacota sicheli* Roger (monobasic).

Phasmomyrmex STITZ. Mittheil. Zool. Mus. Berlin, V, p. 146. 1910. (= *Camponotus.*)
Type: *Phasmomyrmex sericeus* Stitz = *Camponotus buchneri* Forel.

Pheidolacanthinus F. SMITH. Journ.-Linn. Soc. Zool., VIII, p. 75. 1864.
Type: *Pheidolacanthinus armatus* F. Smith (monobasic).

Pheidole WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 87. 1841.
Type: *Atta providens* Sykes (designated by Bingham, 1903).

Pheidologeton MAYR. Verh. zool. bot. Ges. Wien, XII, p. 750. 1862.
Type: *Pheidole ocellifera* F. Smith = *Œcodoma diversa* Jerdon (designated by Bingham, 1903).

Phyracaces EMERY. Rend. Accad. Sci. Ist. Bologna, n. s., VI, p. 23. 1902. (Subgenus of *Cerapachys.*)
Type: *Cerapachys mayri* Forel (designated by Emery, 1902).

Physatta F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 171. 1858. (= *Myrmicaria.*)
Type: *Physatta dromedarius* F. Smith = *Heptacondylus carinatus* F. Smith (first of four species by present designation).

Plagiolepis MAYR. Europ. Formicid., p. 42. 1861.
Type: *Formica pygmæa* Latreille (monobasic).

Platythyrea ROGER. Berlin. Ent. Zeitschr., VII, p. 172. 1863.
Type: *Pachycondyla punctata* F. Smith (designated by Bingham, 1903).

Plectroctena F. SMITH. Catalog. Hymén. Brit. Mus., VI, p. 102. 1858.
Type: *Plectroctena mandibularis* F. Smith = *Formica caffra* (Klug) Spinola (monobasic).

Podomyrma F. SMITH. Journ. Proc. Linn. Soc. Zool., III, p. 135. 1858.
Type: *Podomyrma femorata* F. Smith (first species, by present designation).

Pogonomyrmex MAYR. Annu. Soc. Nat. Modena, III, p. 169. 1868.
Type: *Formica badia* Latreille (by present designation).

Polyergus LATREILLE. Hist. Nat. Crust. Insect., XIII, p. 256. 1805.
Type: *Formica rufescens* Latreille (monobasic).

Polyrhachis F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 58. 1858. (Subgenus of *Myrma.*)
Type: *Formica bihamata* Drury (designated by Smith, 1858).

Ponera LATREILLE. Hist. Nat. Crust. Insect., IV, p. 128. 1802.
Type: *Formica coarctata* Latreille (monobasic).

Poneropsis HEER. Denkschr. Schweiz. Ges. Naturw., XXII, p. 19. 1867.
Type: *Ponera fuliginosa* Heer (by present designation).

Prenolepis MAYR. Europ. Formicid., p. 52. 1861.
Type: *Prenolepis imparis* Say (designated by Emery, 1906).[3]

Prionogenys EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 348. 1895.
Type: *Prionogenys podenzanai* Emery (monobasic).

Prionomyrmex MAYR. Beitr. Naturk. Preuss., I, p. 77. 1868.
Type: *Prionomyrmex longiceps* Mayr (monobasic).

Prionopelta MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 503. 1866.
Type: *Prionopelta punctulata* Mayr (monobasic).

Pristomyrmex MAYR. Verh. zool. bot.. Ges. Wien, XVI, p. 903. 1866.
Type: *Pristomyrmex pungens* Mayr (monobasic).

Probolomyrmex MAYR. Ann. K. K. Naturhist. Hofmus. Wien, XVI, p. 2. 1901.
Type: *Probolomyrmex filiformis* Mayr (monobasic).

Proceratium ROGER. Berlin. Ent. Zeitschr., VII, p. 171. 1863.
Type: *Proceratium silaceum* Roger (monobasic).

Procryptocerus EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXV, p. 470 *nota*. 1887.
Type: *Meranoplus striatus* F. Smith (by present designation).

Proformica RUZSKY. Horæ Soc. Ent. Ross., XXXVI, p. 303. 1903. (Subgenus of *Formica*.)
Type: *Formica nasuta* Nylander (by present designation).

Prolasius FOREL. Mitthell. Schweiz. Ent. Ges., VIII, p. 332. 1892. (Subgenus of *Melophorus*.)
Type: *Formica advena* F. Smith (monobasic).

Propodomyrma WHEELER. Ants, their Struct. Devel. & Behav., p. 163. 1910.
Type: *Propodomyrma samlandica* Wheeler (monobasic).

Psalidomyrmex ERN. ANDRÉ. Rev. d'Ent., VIII, p. 313. 1890.
Type: *Psalidomyrmex foveolatus* Ern. André (monobasic).

Pseudodichthadia ERN. ANDRÉ. Suppl. Spéc. Formic. d'Europ., p. 6. 1885. (= *Labidus*.)
Type: *Pseudodichthadia incerta* Ern. André = female *Formica cæca* Latreille (monobasic).

Pseudolasius EMERY. Ann. Mus. Civ. Stor. Nat. Genov., XXIV, p. 244. 1886.
Type: *Formica familiaris* F. Smith (designated by Bingham, 1903).

Pseudomyrma LUND. Ann. Sci. Nat., XXIII, p. 137. 1831.
Type: *Formica gracilis* Fabricius.

Pseudoponera EMERY. Ann. Soc. Ent. Belg., XLV, p. 42. 1901. (Subgenus of *Euponera*.)
Type: *Ponera amblyops* Emery (designated by Emery, 1901).

Pyramica ROGER. Berlin. Ent. Zeitschr., VI, p. 251. 1862. (= *Strumigenys*.)
Type: *Pyramica gundlachi* Roger; worker only (monobasic).

Rhinomyrmex FOREL. Ann. Soc. Ent. Belg., XXX, p. 192. 1886.
Type: *Rhinomyrmex klæsi* Forel (monobasic).

---

[3] Bingham (1903) had previously designated *P. nitens* Mayr as the type, but this is merely a European form of *P. imparis*.

Rhizomyrma FOREL. Trans. Ent. Soc. London, IV, p. 347. 1893. (Subgenus of *Acropyga.*)

Type: *Acropyga* (*Rhizomyrma*) *galdii* Forel (by present designation).

Rhogmus SHUCKARD. Ann. Mag. Nat. Hist., V, p. 323. 1840. (Subgenus of *Dorylus.*)

Type: *Rhogmus fimbriatus* Shuckard (designated by Shuckard, 1840).

Rhopalomastix FOREL. Ann. Soc. Ent. Belg., XLIV, p. 24. 1900.

Type: *Rhopalomastix rothneyi* Forel (monobasic).

Rhopalomyrmex MAYR. Beitr. Naturk. Preuss., I, p. 41. 1868.

Type: *Rhopalomyrmex pygmæus* Mayr (monobasic).

Rhopalopone EMERY. Ann. Mus. Civ. Stor. Nat. Genova, (2) XVIII, p. 549 1897.

Type: *Rhopalopone epinotalis* Emery (monobasic).

Rhopalothrix MAYR. Sitzb. Akad. Wiss. Wien, LXI, p. 415. 1870.

Type: *Rhopalothrix ciliata* Mayr (first species by present designation).

Rhoptromyrmex MAYR. Ann. K. K. Naturhist. Hofmus. Wien, XVI, p. 18. 1901.

Type: *Rhoptromyrmex globulinodis* Mayr (first of two species by present designation).

Rhytidoponera MAYR. Verh. zool. bot. Ges. Wien, XII, p. 731. 1862. (Subgenus of *Ectatomma.*)

Type: *Ectatomma* (*Rhytidoponera*) *metallicum* F. Smith (by present designation).

Rogeria EMERY. Bull. Soc. Ent. Ital., XXVI, p. 52. 1894.

Type: *Rogeria curvipubens* Emery (second of three species by present designation).

Semonius FOREL. Schultze, Zool. Anthrop. Ergeb. Forsch. West. u. Zent. Südafrika, IV, p. 21. 1910.

Type: *Semonius schultzei* Forel (monobasic).

Sericomyrmex MAYR. Novara Reise Formicid., p. 83. 1865.

Type: *Sericomyrmex opacus* Mayr (monobasic).

Shuckardia EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 703. 1895. (= *Alaopone.*)

Type: *Dorylus atriceps* Shuckard = *D. abeillei* Ern. André (designated by Emery, 1895).

Sifolinia EMERY. Rend. R. Accad. Sci. Ist. Bologna, p. 49. 1907.

Type: *Sifolinia laurœ* Emery (monobasic).

Sima ROGER. Berlin. Ent. Zeitschr., VII, p. 178. 1863.

Type: *Pseudomyrma ? allaborans* Walker (designated by Bingham, 1903).

Simopone FOREL. Grandidier's Hist. Madagascar, XX, p. 247. 1891.

Type: *Simopone grandidieri* Forel (first species by present designation).

Solenopsis WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 86. 1841.

Type: *Solenopsis mandibularis* Westwood = *Atta geminata* Fabricius (monobasic).

Spalacomyrmex EMERY. Ann. Mus. Civ. Stor. Nat. Genova, (2) VII, p. 489. 1889. (= *Centromyrmex.*)

Type: *Spalacomyrmex feæ* Emery (monobasic).

Sphegomyrmex IMHOFF. Verh. Naturf. Ges. Basel., X, p. 175. 1852. (= *Anomma.*)

Type: *Dorylus nigricans* Fabricius (monobasic).

Sphinctomyrmex MAYR. Verh. zool. bot. Ges. Wien, XVI, p. 895. 1866.
Type: *Sphinctomyrmex stali* Mayr (monobasic).

Stenamma WESTWOOD. Introd. Mod. Classif. Ins., II, Synops., p. 83. 1840.
Type: *Stenamma westwoodi* (Stephens) Westwood (monobasic).

Stenomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 711. 1862. (Subgenus of *Anochetus.*)
Type: *Myrmecia emarginata* Fabricius (first of two species by present designation).

Stereomyrmex EMERY. Deutsch. Ent. Zeitschr., p. 115. 1899.
Type: *Stereomyrmex horni* Emery (monobasic).

Stictoponera MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 539. 1887. (Subgenus of *Ectatomma.*)
Type: *Ectatomma coxale* Roger (by present designation).

Stigmacros FOREL. Ann. Soc. Ent. Belg., XLIX, p. 179. 1905. *Nom. nov.* for **Acrostigma** FOREL (*nec* Emery), *nom. præocc.* (Subgenus of *Acantholepis.*)
Type: *Acantholepis* (*Acrostigma*) *froggatti* Forel (first of four species by present designation).

Stigmatomma ROGER. Berlin. Ent. Zeitschr., III, p. 250. 1859.
Type: *Stigmatomma denticulatum* Roger (first of two species, designated by Bingham, 1903).

Stigmomyrmex MAYR. Beitr. Naturk. Preuss., I, p. 95. 1868.
Type: *Stigmomyrmex venustus* Mayr (by present designation).

Streblognathus MAYR. Verh. zool. bot. Ges. Wien, XII, p. 716. 1862.
Type: *Ponera æthiopica* F. Smith (monobasic).

Strongylognathus MAYR. Verh. zool. bot. Ver. Wien, III, p. 389. 1853.
Type: *Eciton ? testaceum* Schenck (monobasic).

Strumigenys F. SMITH. Journ. Ent., I, p. 71. 1860.
Type: *Strumigenys mandibularis* F. Smith (monobasic).

Symmyrmica WHEELER. Bull. Amer. Mus. Nat. Hist., XX, p. 3. 1904.
Type: *Symmyrmica chamberlini* Wheeler (monobasic).

Sympheidole WHEELER. Bull. Amer. Mus. Nat. Hist., XX, p. 7. 1904.
Type: *Sympheidole elecebra* Wheeler (monobasic).

Syscia ROGER. Berlin. Ent. Zeitschr., V, p. 19. 1861. (Subgenus of *Cerapachys.*)
Type: *Syscia typhla* Roger (monobasic).

Sysphincta ROGER. Berlin. Ent. Zeitschr., VII, p. 175. 1863.
Type: *Sysphincta micrommata* Roger (monobasic).

Tapinoma FÖRSTER. Hymenopt. Stud., I, p. 43. 1850.
Type: *Formica eratica* Latreille (monobasic).

Technomyrmex MAYR. Ann. Mus. Civ. Stor. Nat. Genova, II, p. 147. 1870.
Type: *Technomyrmex strenuus* Mayr (designated by Bingham, 1903).

Temnothorax MAYR. Europ. Formic., p. 68. 1861. (Subgenus of *Leptothorax.*)
Type: *Temnothorax recedens* Mayr (monobasic).

Tetramorium MAYR. Verh. zool. bot. Ver. Wien, V, p. 423. 1855.
Type: *Formica cæspitum* Linné (designated by Bingham, 1903).

Tetraponera F. SMITH. Ann. Mag. Nat. Hist., (2) IX, p. 44. 1852. (= *Sima.*)
Type: *Tetraponera atrata* F. Smith = *Eciton nigrum* Jerdon = *Sima nigra* Emery (by present designation).

Tetrogmus ROGER. Berlin. Ent. Zeitschr., I, p. 10. 1857. (Subgenus of *Tetramorium.*)
Type: *Tetrogmus caldarius* Roger = *Myrmica simillima* (Nylander) F. Smith (monobasic).

Thaumatomyrmex MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 531. 1887.
Type: *Thaumatomyrmex mutilatus* Mayr (monobasic).

Tomognathus MAYR. Europ. Formic., p. 56. 1861. (=*Harpagoxenus.*)
Type: *Myrmica sublævis* Nylander (monobasic).

Trachymyrmex FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 600. 1893. (Subgenus of *Atta.*)
Type: *Atta septentrionalis* McCook (by present designation).

Tranopelta MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 514. 1866.
Type: *Tranopelta gilva* Mayr (monobasic).

Trapeziopelta MAYR. Verh. zool. bot. Ges. Wien, XII, p. 715. 1862.
Type: *Ponera maligna* F. Smith (monobasic).

Trichomyrmex MAYR. Novara Reise Formicid., p. 19. 1865.
Type: *Trichomyrmex rogeri* Mayr (monobasic).

Trichoscapa EMERY. Ann. Accad. Nat. Napoli, (2) II, p. 24. 1869. (=*Strumigenys.*)
Type: *Trichoscapa membranifera* Emery (monobasic).

Triglyphothrix FOREL. C. R. Soc. Ent. Belg., p. CVI. 1890.
Type: *Triglyphothrix walshi* Forel (monobasic).

Trigonogaster FOREL. C. R. Soc. Ent. Belg., p. CIX. 1890.
Type: *Triglyphothrix walshi* Forel (monobasic).

Turneria FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 419. 1895.
Type: *Turneria bidentata* Forel (monobasic).

Typhlatta F. SMITH. Journ. Proc. Linn. Soc. Lond., II, p. 79. 1857. (=*Ænictus.*)
Type: *Typhlatta læviceps* F. Smith (monobasic).

Typhlomyrmex GISTEL. Myster. Europ. Insectenwelt, p. 447. 1856.
Type: *Myrmica typhlops* (*nomen nudum*).

Typhlomyrmex MAYR. Verh. zool. bot. Ges. Wien, XII, p. 736. 1862.
Type: *Typhlomyrmex rogenhoferi* Mayr (monobasic).

Typhlopone WESTWOOD. Introd. Mod. Classif. Ins., II, p. 219. 1840. (Subgenus of *Dorylus.*)
Type: *Typhlopone fulva* Westwood (designated by Emery, 1895).

Vollenhovia MAYR. Novara Reise Formicid., p. 21. 1865.
Type: *Vollenhovia punctatostriata* Mayr (monobasic).

Wasmannia FOREL. Trans. Ent. Soc. London, IV, p. 383. 1893.
Type: *Tetramorium auropunctatum* Roger (first of two species by present designation).

Wheeleria FOREL. Ann. Soc. Ent. Belg., XLIX, p. 171. 1905. (=*Wheeleriella.*)
Type: *Wheeleria santschii* Forel (monobasic).

Wheeleriella FOREL. Intern. Sc. Rev., IV, p. 145. 1907. *Nom. nov.* for *Wheeleria, nom. præocc.*
Type: *Wheeleria santschii* Forel (monobasic).

Xenomyrmex FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 369. 1884.
Type: *Xenomyrmex stolli* Forel (monobasic).

Xiphomyrmex FOREL. Mittheil. Schweiz. Ent. Ges., VII, p. 385. 1887. (Subgenus of *Tetramorium.*)

Type: *Tetramorium* (*Xiphomyrmex*) *kelleri* Forel (by present designation).

Zacryptocerus ASHMEAD. Canad. Ent., XXXVII, p. 384. 1905. (=*Cryptocerus.*)

Type: *Cryptocerus multistriatus* F. Smith (designated by Ashmead, but no such species exists).[4]

---

[4] I believe this name must be a clerical error for *C. clypeatus* Fabr., as Ashmead some years ago gave me a specimen of this ant labeled "Zacryptocerus."